# Experimental analysis of cold-formed steel beam-to-column joints

Claudio Bernuzzi & Riccardo Zandonini

Dipartimento di Meccanica Strutturale e Progettazione Automatica, Università di Trento, Italy

Francesco P.De Martino

Istituto di Scienza e Tecnica delle Costruzioni, Universita' di Ancona, Italy

ABSTRACT: Aseismic design requires selection of energy dissipation mechanisms which combine stable cyclic performance with possibility of actually controlling the key behavioural parameters. When beam-to-column joints are comprised in the mechanism, it has been shown that benefits may be achieved in terms of increasing the cost/effectiveness ratio for the framework. Recent tests on semi-rigid joints indicated that use of joint action in seismic zones is feasible, and possibly advantageous, also in frames with cold formed members. The paper intends to illustrate the main features of these tests, to report the results of a first evaluation of the experimental data, and to link joint cyclic responses and aseismic design requirements for semi-rigid frames.

### 1 INTRODUCTION

A key parameter to measure the seismic efficiency of steel frames is the ability to dissipate energy by undergoing large plastic deformations without formation of "brittle" mechanisms. This capability of the whole system basically depends on the stability of the hysteretic behaviour of individual components, such as members and joints (Castiglioni and Di Palma 1989, Popov et al. 1986); it is then function not only of the ductility of the material but also of the importance of overall and local buckling as well as of the low cycle fatigue phenomenon (Ballio and Calado 1986). Satisfactory aseismic design requires that all behavioural factors are considered and "utilized" in order to achieve an "optimal" costeffectiveness ratio. The above mentioned design criteria, which characterise the so-called ductility approach to earthquake engineering, hamper the use of steel frameworks with cold-formed members, which by their own nature are designed optimally when reference is made to, and allow-ance is taken for, local buckling. This certainly applies if the traditional models of "simple" or "rigid" frames are adopted in design. In the first case, beam-tocolumn joints, designed to resist only shear actions, are realized with simple details and the energy dissipation capability details and the energy dissipation capability is concentrated in the bracing cantilever systems, which in most instances do not possess a satisfactory seismic response. On the other hand, the "rigid" frame ductility is substantially limited by the buckling behaviour of cold formed members (sections of which are controlly semi-compact or even which are generally semi-compact or even slender). A possible philosophy to improve the cost-effectiveness of cold formed steel structures in seismic areas is represented by the use of systems where joints and bracing cantilevers are associated as the key dissipation elements. Suitable design criteria should enable to balance the contribution of


the two systems by taking into account their

strength, stiffness, ductility and hysteretic

behaviour. The lack of experimental data as well as of simple prediction methods enabling approximation of joint response prevents nowadays this criterion from being used in current practice. Reliable joint models require to be based on an extensive experimental background. Therefore the first phase of a research study presently in progress at the Universities of Trento and Ancona, aimed at checking the feasibility of using semirigid cold formed frames in seismic areas, was devoted to the experimental analysis of joints. Seven different types of beam-to-column cold-formed steel joints were subject to cyclic loading. Evaluation of the experimental data has been carried out in order to permit determination of the key response characteristics. Besides, numerical dynamic analyses were conducted aimed at a first appraisal of joint action and of joint behavioural requirements in aseismic cold formed semi-rigid frames. Both the experimental and numerical results seem to confirm the suitability of these systems for use in earthquake prone regions.

### 2 THE EXPERIMENTAL ANALYSIS

In order to have an insight in the cyclic behaviour of cold-formed semi-rigid joints of practical interest, the four specimens of four-ways internal joints shown in figure 1 were tested (Bernuzzi & De Martino 1991). The beams are, in all specimens, pairs of cold-formed channel sections, though different as to sensitivity to local buckling: i.e., in specimens PFI/A, PF2 and PF3 they are slender (class 4), according to Eurocode 3 (1991) classification, in specimen PFI/B they are compact (class 2). Columns are also made of cold-formed shapes in specimens PFI/A and PFI/B (where sections are slender (class 4) and plastic (class 1) respectively), while hot-rolled profiles are used in the two other specimens (PF2 and PF3). Bolted connections were selected on the basis of fabrication and erection considerations; they employ angles,



"Z" shaped cold formed elements and different types of plates in order to cover a rather wide range of stiffness and strength. Loads were applied at the free ends of the cruciform specimens (Figure 2) by means of servo-controlled hydraulic jacks, which enabled the test to be conducted under displacement control. The adopted procedure is the ECCS "short procedure" (1986), and the assumed controlled parameter was the displacement at the ends of the cantilever beams. If the specimen did not collapse at the maximum level of displacement achievable by the jacks (+/-100mm), a low cycle fatigue test was performed cycling at this maximum level until collapse was attained. Specimens were fabricated as in normal shop




Figure 2

practice (tolerances hence were the usual ones for constructional steelwork). They were tested along both the strong (X) and the weak (Y) axis of the column. Fairly similar responses were observed for the left and left connection of each specimen; in the following, reference is hence made to the right joints. The measuring setup (fig. 2) was designed so as to enable evaluation of both the global response of the nodal zone and the local behaviour of the connection and its components.

#### 3 THE CYCLIC BEHAVIOUR

The responses observed in the tests are here briefly presented, and discussed, with particular reference to features of interest for seismic design. Table 1 reports values of the most significant stiffness, strength and ductility parameters: M is the joint moment (defined as the moment at the column face),  $\phi$  is the joint rotation, e is the displacement at the free end of the beam, subscripts y and p refer to yielding and full plasticity respectively, while subscripts max and u refer to the maximum resistance achieved and to the collapse condition.

With reference to the main behavioural features specific to the different joints, it should be mentioned that:

- In joint PFI/A-X (Fig. 3) main sources of inelastic deformation were column flange bending (due to flange thinness) and bolt slip, while connection angles experienced fairly modest yielding. Hysteretic behaviour is satisfactory and ductility is high ( $|\mathbf{e}_y/\mathbf{e}_y| = 18$  and  $\phi_{mgx}/\phi_y > 20$ ). Collapse was achieved by fracturing of the column flange. This made testing the specimen in the weak plane of the column infeasible:

plane of the column infeasible; - Specimen PF1/B-X, with the same form of connection as PF1/A but thicker members, showed a more balanced set of deformation sources: column bending is less important, while bending of angle cleats is predominant, though deformation of beam flanges and webs due to bolt bearing plays also a significant role as soon as the number of inelastic cycles increases. The noticeable pinching of the hysteretic loops is associated with the plastic deformations observed in the various connection components, which delay contact to occur between such elements and member walls. Collapse was due to fracture of the bottom flange cleat, at a joint rotation  $\phi = 83.3$  mrad corresponding to a partial ductility ratio of 23.8.

TABLE 1

TEST	$\phi_{ m y}^{+}$ mrad	$\frac{M_{y}^{+}}{\phi_{y}^{+}}$	M <sub>max</sub> +	$\frac{{\phi_{max}}^+}{{\phi_{\mathtt{Y}}}^+}$	$\phi_y^-$ mrad	$\frac{M_{y}^{-}}{\phi_{y}^{-}}$	M <sub>max</sub>	$\frac{\phi_{\text{max}}^{-}}{\phi_{\text{y}}^{-}}$	e <sub>u</sub>
PF1/A-X PF1/B-X PF1/B-Y PF2-X PF2-Y PF3-X PF3-Y	4.0 3.5 1.5 2.3 2.2 4.5 3.2	8.9 16.1 10.7 13.1 19.8 11.1	0.43 0.79 0.53 0.86 0.70 0.95	20.3 23.8 44.7 35.8 26.5 20.5 27.8	4.0 3.3 1.7 3.1 2.0 4.5 3.3	8.1 17.0 9.4 13.5 18.2 11.1 9.4	0.39 0.80 0.52 1.06 0.70 1.01	20.9 25.3 37.4 29.0 25.3 19.3 26.8	18 18 32 28 40 18 22




Figure 3

The general response of specimen PF1/B-Y is similar, though the greater pinching and the presence of "softening-hardening" branches at high inelastic displacements, as a consequence of the interaction between the "shear" and rotational deformations of the connection in the absence of any direct attachment between the beam web and the column. Progressive fracturing of several cleats was observed during the last series of "fatigue" cycles at a ratio  $\mathbf{e}_{\mathbf{u}}/\mathbf{e}_{\mathbf{y}}$  =32.

- Flange cleat response characterizes joint PF2-X behaviour in both the elastic and inelastic phases. Besides, bolt slip and bearing deformation affect substantially the shape of the hysteretic loop (Fig. 4). Partial ductility is as high as 28 with reference to the deflection e, and collapse once again is associated with the fracture of a connection component: the top flange cleat.

The Z shaped web connecting element also fractures causing collapse of joint PF2-Y, at the 10th cycle of the "fatigue" test for e./e. = 40.

The behaviour of the continuity plates of specimens PF3 is fairly complex: basically they are subject to axial forces and biaxial bending. As a consequence, the effectiveness of these elements was lower than expected (in particular in the Y-plane) in all stages of the response, including collapse. Partial ductility ratios in terms of rotation were > 19 and > 26 respectively for the X and Y

The following general remarks on the behavioural characteristics can be made:

(1) the whole set of responses is generally

satisfactory in terms of stiffness, strength and deformation capacity. It is important to note that no local buckling occurred, in spite of the large inelastic deformations achieved, and of the type of member cross-section. Besides, results indicate that full strength joints may be devised, with a satisfactory cyclic response.

(2) Y plane joints showed a complex overall response with non negligible vertical displacements, due to a shear transfer mechanism with limited efficiency. An interaction between the shear and rotational behaviour appears to be the cause of certain features of the response as the lack of symmetry and the presence of softening-hardening inelastic branches.

(3) The sequence of loading may have effects on the onset of slip causing asymmetry of the hysteretic loops.

(4) The influence of column member type was not significant (i.e. cold-formed vs. hotrolled columns), but for specimen PF1/A-X with very thin column shapes. However, the absence of axial load applied to the column prevents from drawing any conclusion on this factor.

(5) As to "elastic" stiffness and ultimate strength, specimen PF2, with cleats and Z shaped elements, behaved slightly better than specimen PF3 with flange continuity plates. Pinching is however more important.

A comparison among all the tested joints is only possible in non dimensional terms. Figures 5 and 6 use the normalized moment and rotation recommended by EC3. All joints are semi-rigid, though the X plane joints lie in the upper part of the semi-rigid region and the Y plane joints lie in the lower part. Initial stiffness if very high for all joints





Figure 4






Figure 6

but PF1/A-X, suggesting a fairly high level of elastic continuity .

# 4 ASSESSMENT OF EXPERIMENTAL RESPONSES

The joint behaviour described in the previous section immediately appears as being generally satisfactory. The stiffness, strength and ductility parameters were already considered and commented. A more meaningful assessment


of the efficiency of the cyclic behaviour may be attempted based on the response parameters defined by the ECCS Recommendations; in particular reference can be made to the resistance and rigidity drop as well as to the dissipated energy. Similar trends were observed for these parameters, when determined for the positive and negative emicycles, also in the presence of remarkable asymmetry in the response; in the following reference will hence be made to the positive emicycles only, but for the cumulative energy.

In figure 7 the resistance drop (defined as the ratio between the value of the maximum moments achieved in the third and first cycle of the set of three cycles at the same displacement value) is plotted as a function of the partial ductility  $\phi/\phi_{\downarrow}$ . This ratio is in most cases rather constant and higher than 0.90, indicating that deterioration of the response occurring for cycling at the same level of inelastic deformation is moderate. In joint PF1/A-X the thinness of the members increases the bearing deformation, subsequently delaying the full effectiveness of the joint for moment reversal. A similar comparison within the same set of cycles, made with reference to the absorbed energy, confirms that deterioration is modest.


Joint rigidity steadily decreases for all specimens up to partial ductility values (in terms of rotation) close to 10. At this value X plane joints possess between 25 (PF1/B-X) and 70% (PF1/A-X) of the elastic stiffness Fy/ey, while stiffness of Y plane joints ranges from 25 (PF1/B-Y) to 60% (PF2-Y) of the elastic one. An additional moderate decrease occurs when  $\phi/\phi_y$  further increases. Stiffness deterioration also depends on the number of cycles at the same partial ductility ratio.


Seismic efficiency is mainly related to the capability of absorbing energy; figures 8-10 refer to this capability: figure 8 shows the cumulative absorbed energy, figure 9 the average energy dissipated per cycle in each set of equal ductility cycles and figure 10 the cumulative energy normalized with respect to the energy absorbed by an equivalent ideally elastic-plastic joint. All energies are plotted with respect to the rotational partial ductility.


The trend of cumulative absorbed energy




2920









curves is fairly similar for all joints (joint PF2-X was tested with a final significant increase in the applied displacement, see figure 4). Inelastic deformation due to bolt bearing and bending of connection components affects more remarkably the overall response of joints PF2-X and PF1/B-Y, which show a significant pinching of the loop. This is clearly pointed out by the energy curves in figures 8 and 9. The absorption capacity seems satisfactory with reference to both the total amount and the way this has been built up (energy dissipation capacity is raising with joint rotation (Fig. 9) practically up to attainment of collapse). Deterioration of joint behaviour (basically in terms of stiffness and pinching) is increasingly balanced by the "hardening" of the response, as it appears by the normalized cumulative energy curves plotted in figure 10. The negative influence of the interaction between shear and rotational deformations causes a reduction of the effectiveness of the response of Y plane joints in the range of the higher ductility ratios. If the two specimens are considered for which a direct comparison is possible, specimen PF3 behaves better in


terms of energy absorption than PF2 in both planes, despite the opposite indication provided by the envelopes of the M -  $\phi$  curves. This is certainly due the lower pinching in the response of PF3.


## 5 CONCLUDING REMARKS


The feasibility of concentrating seismic energy dissipation in beam-to-column joints, also in presence of cold formed members, may be regarded as the main outcome of the tests, on which this paper reports. A satisfactory cyclic performance was observed even in the presence of connected elements with slender cross section. In particular the deformation capacity was fairly high, and collapse was associated to the fracture of joint elements, whilst local buckling did not occur. Furthermore, it should be noted that all joints tested are semi-rigid and that connection detailing is rather simple.

Joint performance, however, should not be

Joint performance, however, should not be considered per se, but in relation with the design requirements of frame seismic response. A first appraisal of semi-rigid joint







⊗ SEMI-RIGID JOINT

Beams ][280×80×30×6

Columns HE 300 B

Figure 11

action in cold formed frames was obtained via a limited series of nonlinear analyses of the frame in figure 11. The ground acceleration of the El Centro 1979 earthquake (scaled by a factor 1.3) and of the 1976 Friuli one (recorded at Tolmezzo) were selected as seismic excitation. Both earthquakes are demanding in the frequency range of interest for semirigid steel frames. The joints considered were the PF1/B-X and the PF3-X. A first evaluation of the numerical results indicates that general responses are satisfactory, although joints stiffness is an important factor to reduce unfavourable second order effects. The inelastic joint cycles were limited in number and amplitude (maximum rotation attained by joints was 15 mrad, corresponding to  $\phi/\phi_*=4$ ), in spite of a significant contribution to energy dissipation. No definitive conclusion can however be drawn at present. A wider numerical study will be carried on in the subsequent phases of the research, also aimed at developing a set of data to be used as background in a reviewing process of the present ECCS testing recommendations, which appear to be too severe. Braced frames will also be included in the study and the proposed design philosophy checked, which combines the energy absorption capabilities of joints and bracings

in order to achieve a satisfactory frame performance. A complementary extension of the experimental study will be carried on to investigate the influence of factors such as the column axial load (which should play an important role for cold formed columns) and the cross sectional characteristics. This will permit development of cyclic behavioural models of joints suitable for design analysis.

### 6 ACKNOWLEDGEMENTS

This research was supported by funds of the European Community of Steel and Coal (ECSC, Grant 7210 SA/413) and of the Italian Ministry of University and Scientific and Technological Research (M.U.R.S.T.).

## REFERENCES

Castiglioni C.A. and Di Palma N. 1989. Exper imental behaviour of steel members under cyclic bending. Costruzioni Metalliche, No. 2/3: 97-114.

Popov E.P., Amin N.A., Louie C. & Stephen M. 1986. Cyclic Behaviour of Large Beam-to-Column Assemblies", Engineering Journal American Institute of Steel Construction, First Quarter.

Ballio G. and Calado L. 1986. Local buckling of steel sections under cyclic loads. Pro ceedings of the 8th European Conference on Earthquake Engineering, Lisbona. Commission of the European Communities, 1991,

Commission of the European Communities, 1991, Eurocode 3 - Design of Steel Structures -Part 1: General Rules and Rules for Build ings. April.

European Convention for Constructional Stee lwork, 1986. Recommended Testing Procedures for Assessing the Behaviour of Structural Steel Elements under Cyclic Loads., Techni cal Committee 1, TWG 1.3, Seismic Design,

Publ. No. 45.
Bernuzzi C., De Martino F.P., 1991. Cyclic Behaviour of Semi-Rigid Joints in Cold-Formed Structures. International Meeting on Earthquake Protection of Buildings, Ancona (Italy), June: 99/B-112/B.